






Figure 1-1. General Location of the Figure Four Project Area in Northwest Coloado




















Figure 2-6. Proposed Figure Four Access Road Network



Era	System	Series	Stratigraphic Unit	Unit Thickness (feet)	Physical Description	Hydro- geologic Unit	Saturated Thickness (feet)	Hydrologic Characteristics
	Tertiary	Eocene	Uinta Formation	0-1,400	Silty sandstone, siltstone and marlstone	Upper Piceance Basin Aquifer		Conductivity range <0.2 to >1.6 ft/day; yield 1 to 900 gpm; transmissivity 610-770 ft ² /day
			Green River Formation	As much as 5,000	Parachute Creek Member keragenous, dolomitic marl- stone and shale 500-1,800 ft	Mahogany confining unit	nfining unit Lower Piceance	010-170 it-/day
					Anvil Points Member shale, fine-grained sand- stone and marlstone 0-1.870 ft	Lower Piceance Basin Aquifer		Conductivity range <0.1 to >1.2 ft/day; yield 1 to 1,000 gpm; transmissivity 260-380 ft²/d
Cenozoic					Garden Gulch Member claystone, siltstone, clay-rich oil shale and marlstone 0-900 ft Douglas Creek Member siltstone, shale and channel sandstone 0-900 ft	Confining Unit		
			Wasatch Formation	About 5,000	Shale and lenticular sand- stone			
		Paleocene	Fort Union Formation	Very Thin	Coarse-grained sandstone	Fort Union aquifer		
Mesozoic	Cretaceous	Upper Cretaceous	Mesaverde Group	Averages 3,000 may be >7,000	Fox-Hills Sandstone, Lewis Shale, Williams Fork Formation, Iles Formation: sandstone interbedded shale and coal	Mesaverde aquifer	<500- 2,000	
Me			Mancos Shale	More than 7,000	Mainly shale but Frontier Sandstone may be local aquifer	Mancos confining unit		

Figure 3-2. Hydrostratigraphic Column for the Piceance Basin








Figure 3-5. Location of USGS Gaging Stations





Figure 3-6. Springs in the Figure Four Project Area






Figure 3-8. Dominant Vegetation Communities Within the Project Area (BLM, 2003)

Elk Activity Areas Figure Four Project Area







Figure 3-9. Elk Activity Areas

Prepared By Buys & Associates

Mule Deer Activity Areas Figure Four Project Area








Figure 3-10. Mule Deer Activity Areas

Prepared By Buys & Associates

Bald Eagle Activity Areas Figure Four Project Area



Sage Grouse Activity Areas Figure Four Project Area






Figure 3-12. Sage Grouse Activity Areas

Prepared By Buys & Associates






Figure 3-13. Permitted Outfitter Areas within and near the Figure Four Project Area








Figure 4-2. Ecological Range Sites in the Project Area